


LIULIN ZOO MESH FACTORY

	The list (of Stainless S	teel Wire			mesh)(90	°)
ID	Mesh Aperture		Cable Diameter		Min.Breaking Load	Wire Cable	Applications
	Inch	mm	Inch	mm	KN	Structure	
#3251	2" x 2"	51 x 51	1/8"	3.2	7.38	7 x 19	large and fierce animals like tiger, lion, leopard, orangutan
#3260	2.4" x 2.4"	60 x 60	1/8"	3.2	7.38	7 x 19	
#3276	3" x 3"	76 x 76	1/8"	3.2	7.38	7 x 19	
#3290	3.6" x 3.6"	90 x 90	1/8"	3.2	7.38	7 x 19	
#32102	4" x 4"	102 x 102	1/8"	3.2	7.38	7 x 19	
#32127	5" x 5"	127 x 127	1/8"	3.2	7.38	7 x 19	
#32152	6" x 6"	152 x 152	1/8"	3.2	7.38	7 x 19	
#2451	2" x 2"	51 x 51	3/32"	2.4	4.18	7 x 7	large and fierce animals like tiger, lion, leopard, orangutan, monkey
#2460	2.4" x 2.4"	60 x 60	3/32"	2.4	4.18	7 x 7	
#2476	3" x 3"	76 x 76	3/32"	2.4	4.18	7 x 7	
#2490	3.6" x 3.6"	90 x 90	3/32"	2.4	4.18	7 x 7	
#24102	4" x 4"	102 x 102	3/32"	2.4	4.18	7 x 7	
#24127	5" x 5"	127 x 127	3/32"	2.4	4.18	7 x 7	
#24152	6" x 6"	152 x 152	3/32"	2.4	4.18	7 x 7	
#2038	1.5" x 1.5"	38 x 38	5/64"	2	3.17	7 x 7	small cat animals like small monkey
#2051	2" x 2"	51 x 51	5/64"	2	3.17	7 x 7	
#2060	2.4" x 2.4"	60 x 60	5/64"	2	3.17	7 x 7	
#2076	3" x 3"	76 x 76	5/64"	2	3.17	7 x 7	
#2090	3.6" x 3.6"	90 x 90	5/64"	2	3.17	7 x 7	
#20102	4" x 4"	102 x 102	5/64"	2	3.17	7 x 7	
#20127	5" x 5"	127 x 127	5/64"	2	3.17	7 x 7	
#1625	1" x 1"	25.4 x 25.4	1/16"	1.6	2.17	7 x 7	
#1630	1.2" x 1.2"	30 x 30	1/16"	1.6	2.17	7 x 7	Large birds and small birds
#1638	1.5" x 1.5"	38 x 38	1/16"	1.6	2.17	7 x 7	
#1651	2" x 2"	51 x 51	1/16"	1.6	2.17	7 x 7	
#1660	2.4" x 2.4"	60 x 60	1/16"	1.6	2.17	7 x 7	
#1676	3" x 3"	76 x 76	1/16"	1.6	2.17	7 x 7	
#16102	4" x 4"	102 x 102	1/16"	1.6	2.17	7 x 7	
#1220	0.8" x 0.8"	20 x 20	3/64"	1.2	1.22	7 x 7	Large birds and small birds
#1225	1" x 1"	25.4 x 25.4	3/64"	1.2	1.22	7 x 7	
#1230	1.2" x 1.2"	30 x 30	3/64"	1.2	1.22	7 x 7	
#1238	1.5" x 1.5"	38 x 38	3/64"	1.2	1.22	7 x 7	
#1251	2" x 2"	51 x 51	3/64"	1.2	1.22	7 x 7	
#1276	3" x 3"	76 x 76	3/64"	1.2	1.22	7 x 7	
#12102	4" x 4"	102 x 102	3/64"	1.2	1.22	7 x 7	


▼ Details of Products Specifications

For example:



Wire Cable Diameter:

By inch: 3/64", 1/16", 5/64", 3/32", 1/8", 5/32" **By mm:** 1.2mm, 1.6mm, 2.0mm, 2.4mm, 3.2mm, 4.0mm




Mesh Aperture:

By inch: 0.6"×0.6", 0.8"×0.8", 1"×1", 1.2"×1.2", 1.5"×1.5", 2"×2", 2.4"×2.4", 3"×3", 3.6"×3.6", 4"×4", 5"×5", 6"×6".
By mm: 15mm×15mm, 20mm×20mm, 25mm×25mm, 30mm×30mm, 38mm×38mm, 51mm×51mm, 60mm×60mm, 76mm×76mm, 90mm×90mm, 102mm×102mm, 127mm×127mm, 152mm×152mm

▼ Customizable

Since 1996, Liulin has accumulated rich experience in the production of stainless steel cable mesh. We can control every detail in the production process to ensure that our products are perfectly suited to your need in mind.

Material group: Stainless steel 304/304L/316/316L Wire rope structure: 4.0mm/3.2mm – 7 X 19, 1.2mm/1.6mm/2.0mm/2.4mm – 7 x 7 Standard panel size: 35ft x 70ft (9m x 18m) or customers' required sizes Minimum order quantity: 100sq.ft / 10sq.m Price Term: FOB Shijiazhuang, China Packaging: The mesh will be rolled and packed in PP woven bag or pallet Customizable options: As shown in the following table About specs web page: <u>Click Here</u>



Customizable Options

>Material Type:	Stainless steel 304/304L/316/316L				
>Specifications:	Including wire rope diameter and mesh opening size				
	3/64", 1/16", 5/64", 3/32", 1/8", 5/32"				
>Wire rope diameter:	1.2mm, 1.6mm, 2.0mm, 2.4mm, 3.2mm, 4.0mm				
	0.6"×0.6", 0.8"×0.8", 1"×1", 1.2"×1.2", 1.5"×1.5", 2"×2", 2.4"×2.4", 3"×3", 3.6"×3.6", 4"×4", 5"×5", 6"×6".				
>Mesh opening size:	15mm×15mm, 20mm×20mm, 25mm×25mm, 30mm×30mm, 38mm×38mm, 51mm×51mm, 60mm×60mm, 76mm×76mm, 90mm×90mm, 102mm× 102mm, 127mm×127mm, 152mm×152mm.				
>Color:	Natural color, Black color, Bronze color				
>Mesh panel size:	We will produce it according to the size you provide. The large panel size is supported, depending on different specifications the largest single panel size can be reached 300m ² . Less cut and avoid waste during installation.				



▼ Service

1, **Free Sample:** A sample of fewer than 1 feet square is provided free of charge. Requestor needs to incur the courier charges.,

2, **Panel size**: The panel size can be modified to the size you provide, which reduces costs and makes installation easier.

3, **Packaging:** The rope mesh will be rolled and packed into the P.P. woven bags or pallet.

4, Lead time: The order could be arranged within 24hours, lead time is between 7-30 days depending on the quantum of order.

- 5, For individual users: We can provide installation tools and installation accessories, you can easily complete DIY.
- **6**, **Order:** We charge a 30% deposit and you can accept and pay the final payment before shipment.











